

# Cuestionario sobre la salud del paciente-2 (PHQ-2)

---

Durante las <i>últimas 2 semanas</i> , ¿qué tan seguido ha tenido molestias debido a los siguientes problemas?	Ningún día	Varios días	Más de la mitad de los días	Casi todos los días
1. Poco interés o placer en hacer cosas	0	1	2	3
2. Se ha sentido decaído(a), deprimido(a) o sin esperanzas	0	1	2	3

---

*For office coding:*      \_\_\_\_\_ 0 \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_ + \_\_\_\_\_  
= *Total Score* \_\_\_\_\_

## PHQ-2 Scores and Recommended Actions

The PHQ-2 consists of the first 2 questions of the PHQ-9. Scores range from 0 to 6. The recommended cut point is a score of 3 or greater. Recommended actions for persons scoring 3 or higher are one of the following:

- Administer the full PHQ-9
  - Conduct a clinical interview to assess for Major Depressive Disorder
1. Kroenke K, Spitzer RL, Williams JB. The Patient Health Questionnaire-2: Validity of a Two-Item Depression Screener. *Med Care*. 2003, Nov;41(11):1284-92.
  2. Kroenke K(1), Spitzer RL, Williams JB, Löwe B. The Patient Health Questionnaire Somatic, Anxiety, and Depressive Symptom Scales: a systematic review. *Gen Hosp Psychiatry*. 2010 Jul-Aug;32(4):345-59.